



T H E D E N T A L A T T A C H M E N T S C O M P A N Y



1983-2023

# CODE LIST

## FIXED AND REMOVABLE PROSTHESIS

*for dentists and dental technicians*



**RHEIN83**

## FIXED PROSTHESIS OT BRIDGE

<i>OT EQUATOR abutment, Cuff height measurer, KIT 42, Titanium abutments</i>	Pag. 3
<i>Castable abutments, Titanium abutments with lateral holes, Titanium abutment for endoral welding</i>	Pag. 4
<i>Healing abutments, Impression copings</i>	Pag. 4
<i>Laboratory analogs, Scan Abutment, Screws, OT EQUATOR screwing tools</i>	Pag. 5
<i>Screwing tools, Universal handle, Seeger inserter, T-Bar Components and accessories</i>	Pag. 6
<i>Spare parts, Gingival connectors, Seeger seat cleaning cutter, Ot Cem</i>	Pag. 7

## REMOVABLE PROSTHESIS

<i>OT EQUATOR for implants, OT EQUATOR for bars, OT EQUATOR caps kit, OT EQUATOR castable</i>	Pag. 8
<i>Spare parts OT EQUATOR</i>	Pag. 9
<i>OT EQUATOR transfer and analogs, OT EQUATOR tools and accessories</i>	Pag. 10
<i>Single threaded spheres, Spare parts for single threaded spheres</i>	Pag. 11
<i>Sphero block and Sphero flex pfor implants, Cuff height measurer</i>	Pag. 12
<i>Tools Sphero flex and Sphero block, Anti-unscrewing system</i>	Pag. 13
<i>Laboratory set</i>	Pag. 14
<i>Basic laboratory set</i>	Pag. 15
<i>OT Cap / OT Box attachments, OT Box large attachments, OT Strategy attachments, OT Bar attachments</i>	Pag. 16
<i>OT Vertical attachments, OT Unilateral attachments, OT Cap Tecno attachments, OT Lock attachments</i>	Pag. 17
<i>Pivots set for clinic, OT EQUATOR pivots set</i>	Pag. 18
<i>Pivot OT EQUATOR caps set, Pivot Block / Flex</i>	Pag. 19
<i>Spare parts OT Cap normal</i>	Pag. 20
<i>Spare parts OT Cap micro</i>	Pag. 21
<i>OT Cap assortment sets</i>	Pag. 22
<i>Tools and accessories OT Cap normal / micro</i>	Pag. 23
<i>OT Strategy spare parts</i>	Pag. 24-25
<i>OT Bar multiuse spare parts</i>	Pag. 25
<i>OT Vertical spare parts, OT Reverse spare parts</i>	Pag. 26
<i>OT Lock spare parts, Sphere repair sets</i>	Pag. 27
<i>OT Lever, Small parallelometer, Denture boxes</i>	Pag. 28
<i>OT Cem, Broken screw extractor kit</i>	Pag. 29
<i>Rhein83: The training</i>	Pag. 30
<i>Rhein83 direct services</i>	Pag. 31

## OT EQUATOR ABUTMENT



Ref. 030

- 1 OT EQUATOR TITANIUM ABUTMENT WITH TiN COATING

## CUFF HEIGHT MEASURER



Ref. 008MBG

### SET CONTENT

- 1 CUFF HEIGHT SLIDER GAUGE
- 1 CUFF HEIGHT FIXED ROD GAUGE
- 1 SILICON RING DISPENSER
- 20 SILICON RINGS

## KIT 42



Ref. BE42  
+ n° 42 OT  
EQUATOR  
(Ref. 030 to be chosen)

- 1 ASSORTMENT SET (autoclavable) + 42 OT EQUATOR +TiN ABUTMENTS  
*THE SET42 CAN BE CUSTOMIZED ON THE BASIS OF THE IMPLANTS BRANDS, IMPLANTS DIAMETERS AND CUFF HEIGHTS DESIRED. PLEASE INDICATE, IN THE ORDER, THE QUANTITY AND THE ABOVE SPECIFICATIONS FOR EVERY KIND OF ABUTMENT.*  
*(Tools not included in the set)*



Ref. BE42

- 1 EMPTY BOX FOR ASSORTED OT EQUATOR ABUTMENTS

## ABUTMENTS FOR FIXED PROSTHESIS



Ref. MTSEG

Ø3,5mm

Ref. MT40SEG

Ø4mm

Ref. MT50SEG

Ø5mm

### EXTRAGRADE TITANIUM ABUTMENT

#### SET CONTENT

- 1 EXTRAGRADE TITANIUM ABUTMENT TO BE CEMENTED h9,5mm
- 1 TITANIUM SCREW h2mm
- 2 WHITE SEEGER WITH HANDLE
- 1 PINK SEEGER WITH HANDLE



Ref. MMSEG

Ø3,5mm

Ref. MM40SEG

Ø4mm

### MINI EXTRAGRADE TITANIUM ABUTMENT

#### SET CONTENT

- 1 MINI EXTRAGRADE TITANIUM ABUTMENT TO BE CEMENTED h5,7mm
- 1 TITANIUM SCREW FOR MINI EXTRAGRADE TITANIUM ABUTMENT
- 2 WHITE SEEGER WITH HANDLE
- 1 PINK SEEGER WITH HANDLE



Ref. MTSFEG

Ø3,5mm

Ref. MTEG15F

Ø4mm

### EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15°

#### SET CONTENT

- 1 EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15° TO BE CEMENTED
- 2 WHITE SEEGER WITH HANDLE
- 1 PINK SEEGER WITH HANDLE
- 1 SPHERICAL TITANIUM SCREW FOR 15° INCLINED ABUTMENT

## ABUTMENTS FOR FIXED PROSTHESIS



**Ref. CMEG40C**  
Ø4mm

### EXTRAGRADE CASTABLE ABUTMENT

#### SET CONTENT

- 1 EXTRAGRADE CASTABLE ABUTMENT WITH HOLE
- 1 TITANIUM SCREW h2 mm
- 2 WHITE SEEGER WITH HANDLE
- 1 PINK SEEGER WITH HANDLE



**Ref. MCEG15SF**  
Ø4mm

### EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE

#### SET CONTENT

- 1 EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE (ONLY AVAILABLE WITH Ø4mm)
- 2 WHITE SEEGER WITH HANDLE
- 1 PINK SEEGER WITH HANDLE



**Ref. CMTFP**  
h1,8mm  
**Ref. CMTB30FP**  
h3mm

### TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCEMENT

#### SET CONTENT

- 1 TITANIUM ABUTMENT WITH LATERAL HOLES (ONLY AVAILABLE WITH Ø 3,5mm)
- 1 TITANIUM SCREW h2 mm
- 2 WHITE SEEGER WITH HANDLE
- 1 PINK SEEGER WITH HANDLE



**Ref. MT40GL**  
Ø4mm

### TITANIUM ABUTMENT FOR ENDORAL WELDING

#### SET CONTENT

- 1 TITANIUM NORMAL ABUTMENT FOR INTRA ORAL WELDING h9,5 mm Ø4 mm
- 1 TITANIUM SCREW h2 mm
- 2 WHITE SEEGER WITH HANDLE
- 1 PINK SEEGER WITH HANDLE

## HEALING ABUTMENTS



**Ref. 159VAG**

### SCREW AND HEALING RING

#### SET CONTENT

- 1 TITANIUM SCREW
- 1 TITANIUM HEALING RING



**Ref. 159EAG**

### OT EQUATOR AND HEALING RING

#### SET CONTENT

- 1 TITANIUM + TiN OT EQUATOR SCREW FOR HEALING RING
- 1 TITANIUM HEALING RING



**Ref. 159VEA**

- 1 Titanium + TiN OT EQUATOR screw  
(for self-extracting peek ring or titanium self-extracting healing ring)

## IMPRESSION COPINGS



**Ref. 144TLE**

- 1 TITANIUM OT EQUATOR LONG IMPRESSION COPING + TITANIUM LONG SCREW h11,5mm



**Ref. 144TTE**

- 1 TITANIUM OT EQUATOR IMPRESSION COPING + TITANIUM SCREW h6 mm



**Ref. 144MTE**

- 2 OT EQUATOR IMPRESSION COPINGS FOR INDIVIDUAL TRAY



**Ref. TPM2**

- 2 MINI OT EQUATOR IMPRESSION COPINGS h3,7mm

## LABORATORY ANALOGS



**Ref. 144AE**

• 2 LABORATORY ANALOGS ø 4mm

**Ref. AI502**

• 2 LABORATORY ANALOGS ø 5mm



**Ref. 144AVC4**

• 1 LABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 4mm

**Ref. 144AVC5**

• 1 LABORATORY ANALOG WITH SCREW FOR CAD/CAM ø 5mm

## OT EQUATOR SCAN ABUTMENT



**Ref. 145SAE**

• 1 OT EQUATOR TITANIUM SCAN ABUTMENT + TITANIUM SCREW

## SCREWS



**Ref. 147VME**

• 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT  
*(for screwdriver/stem for inclined Channel)*



**Ref. 146VMI**

• 1 SPHERICAL TITANIUM SCREW FOR INCLINED ABUTMENT  
*(for screwdriver/stem for inclined Channel)*



**Ref. 148VCM**

• 1 TITANIUM SCREW FOR MINI EXTRAGRADE ABUTMENT  
*(for screwdriver/stem for inclined Channel)*



**Ref. VC**

• 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h2mm



**Ref. VM**

• 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h6mm



**Ref. VXL**

• 1 TITANIUM SCREW FOR EXTRAGRADE ABUTMENT h11,5mm

## TOOLS



**Ref. 774CHE**

• 1 SQUARE SCREW DRIVER + HOLDER for tightening OT Equator  
*(SQUARE TIP 1.25MM) (USABLE WITH THE MANUAL TORQUE WRENCH)*

**Ref. 775CLE\***

*(\*Long version)*



**Ref. 774HC**

• 1 INTERCHANGEABLE HOLDER



**Ref. 760CSC**

• 1 SCREWDRIVER/STEM FOR ANGULATED CHANNEL  
*FOR TORQUE CONTROLLER CONTRA ANGLE (SQUARE 1.25MM)  
AND ADAPTER FOR MANUAL TORQUE WRENCH*

**Ref. 760CS\***

*(\*Long version)*

## TOOLS



**Ref. 760ACC**

- 1 SCREWDRIVER/STEM FOR ANGULATED CHANNEL ADAPTER (USABLE WITH MANUAL TORQUE WRENCH)



**Ref. 760CE**

- 1 OT EQUATOR SCREWDRIVER/STEM FOR TORQUE CONTROLLER CONTRAANGLE AND FOR MANUAL TORQUE WRENCH ADAPTER READY FOR HOLDER (SQUARE 1,25mm)



**Ref. 760CRD-US**

- 1 RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK AND FLEX 15/35 Ncm STRENGHT - MAX 70 Ncm TORQUE.



**Ref. 124ICP**

- 1 UNIVERSAL HANDLE



**Ref.490IS**

- 1 INSERTER/EXTRACTOR FOR SEEGER FOR FIXED PROSTHESIS WITH TESTER, HANDLE AND CASE



**Ref.190IS**

- 1 INSERTER AND TESTER FOR FIXED PROSTHESIS SEEGER

## MEDICAL STEEL T-BAR



**Ref. G80A**

- 4 MEDICAL STEEL JOINTS



**Ref. T20A**

- 4 MEDICAL STEEL CYLINDERS



**Ref. T20Ai**

- 4 MEDICAL STEEL RETENTIVE CYLINDERS

## TITANIUM T-BAR



**Ref. G80T**

- 4 TITANIUM JOINTS



**Ref. T20T**

- 4 TITANIUM CYLINDERS



**Ref. T20Ti**

- 4 TITANIUM RETENTIVE CYLINDERS

## TOOLS T-BAR





**Ref. T-APLUS**

- 2 T-BAR ADAPTERS



## SPARE PARTS

	<b>Ref. RMTSFEG</b>	• 1 EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15° Ø 3,5mm
	<b>Ref. RMTEG15SF</b>	• 1 EXTRAGRADE TITANIUM ABUTMENT INCLINED AT 15° Ø 4mm
	<b>Ref. RMTSEG</b>	• 1 EXTRAGRADE TITANIUM ABUTMENT Ø 3,5mm
	<b>Ref. RMT40SEG</b>	• 1 EXTRAGRADE TITANIUM ABUTMENT Ø 4mm
	<b>Ref. RMT50SEG</b>	• 1 EXTRAGRADE TITANIUM ABUTMENT Ø 5mm
	<b>Ref. RMMSEG</b>	• 1 MINI EXTRAGRADE TITANIUM ABUTMENT Ø 3,5mm
	<b>Ref. RMM40SEG</b>	• 1 MINI EXTRAGRADE TITANIUM ABUTMENT Ø 4mm
	<b>Ref. GCMR</b>	• 1 CASTABLE SLEEVE FOR INCLINED TITANIUM ABUTMENT WITHOUT HOLE Ø 3,5mm
	<b>Ref. GCMR4</b>	• 1 CASTABLE SLEEVE FOR INCLINED TITANIUM ABUTMENT WITHOUT HOLE Ø 4mm
	<b>Ref. GC</b>	• 1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø 3,5mm
	<b>Ref. GC4</b>	• 1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø 4mm
	<b>Ref. GC5</b>	• 1 CASTABLE SLEEVE FOR TITANIUM ABUTMENT Ø 5mm
	<b>Ref. GMM</b>	• 1 CASTABLE SLEEVE FOR MINI TITANIUM ABUTMENT Ø 3,5mm
	<b>Ref. GMM4</b>	• 1 CASTABLE SLEEVE FOR MINI TITANIUM ABUTMENT Ø 4mm
	<b>Ref. MTFP</b>	• 1 TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCEMENT h1,8 mm (ONLY AVAILABLE WITH Ø 3,5mm)
	<b>Ref. MTB30FP</b>	• 1 TITANIUM ABUTMENT WITH LATERAL HOLES FOR TEMPORARY RESIN BRIDGE WITH WIRE-REINFORCEMENT h3 mm (ONLY AVAILABLE WITH Ø 3,5mm)
	<b>Ref. HR800</b>	• 1 TITANIUM WIRE WITHOUT ELASTIC MEMORY Ø 1,0mm
	<b>Ref. MEG40C</b>	• 1 EXTRAGRADE CASTABLE ABUTMENT Ø 4mm
	<b>Ref. RMCEG15SF</b>	• 1 EXTRAGRADE CASTABLE ABUTMENT WITHOUT HOLE (ONLY AVAILABLE WITH Ø 4,0mm)
	<b>Ref. SM6</b>	• 6 WHITE SEEGER WITH HANDLE (STANDARD RETENTION)
	<b>Ref. SRM6</b>	• 6 PINK SEEGER WITH HANDLE (SOFT RETENTION)
	<b>Ref. 022RGO</b>	• 3 CASTABLE CONNECTION BAR
	<b>Ref. FSS</b>	• 1 BUR FOR SEEGER HOUSING POLISHING
	<b>Ref. OC</b>	• 1 OT CEM (COMPOSITE CEMENT: 1 Two-component syringe, 10 AUTOMIX TIPS)
	<b>Ref. TOC</b>	• 10 AUTOMIX TIPS

## OT EQUATOR FOR IMPLANTS



Ref. 130

### OT EQUATOR FOR IMPLANTS SET

#### SET CONTENT

- 1 OT EQUATOR TITANIUM + TiN ABUTMENT
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS  
(1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



Ref. 131

### OT EQUATOR AND SMARTBOX FOR IMPLANTS SET

#### SET CONTENT

- 1 OT EQUATOR TITANIUM + TiN ABUTMENT
- 1 ANODIZED SMART BOX HOUSING WITH BLACK POSITIONING CAP
- 1 PINK PROTECTIVE DISK
- 4 RETENTIVE CAPS  
(1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)



Ref. 030

- 1 OT EQUATOR TITANIUM + TiN ABUTMENT

*THE OT EQUATOR ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING INDICATE: IMPLANT, DIAMETER AND CUFF HEIGHT. CUFF AVAILABLE TO 7mm.*

## OT EQUATOR FOR BARS



Ref. 160EQB

### OT EQUATOR THREADED SLEEVE SYSTEM SET FOR BONDING

#### SET CONTENT

- 2 EQUATOR THREADED for titanium sleeve (1.6 mm THREAD)
- 2 THREADED SLEEVES (1.6 mm THREAD)
- 2 STAINLESS STEEL HOUSINGS
- 2 OT EQUATOR SPACERS
- 8 RETENTIVE CAPS  
(2 EXTRA-SOFT, 2 SOFT, 2 STANDARD, 2 PROCESSING)

## ELASTIC SEEGER PASSIVE BAR CONNECTIONS SYSTEM



Ref. 158ESA

### ELASTIC SEEGER SET

#### SET CONTENT

- 1 CASTABLE CYLINDER FOR SEEGER
- 1 SELF-EXTRACTING SEEGER
- 1 TITANIUM SCREW FOR SELF-EXTRACTING SEEGER

## CAPS ASSORTMENT SET



Ref. 192ECE

### CAPS ASSORTMENT SET

#### SET CONTENT

- 1 STAINLESS STEEL HOUSING
- 1 PROCESSING CAP
- 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)
- 1 PROTECTIVE DISK

## SMART BOX SET SELF-ALIGNING OT EQUATOR HOUSING



Ref. 335SBC

### SMART BOX SET

#### SET CONTENT

- 1 SMART BOX HOUSING WITH BLACK POSITIONING CAP
- 1 PINK PROTECTIVE DISK
- 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)

## OT EQUATOR CASTABLE



Ref. 092ECQ






















### OT EQUATOR CASTABLE SET

#### SET CONTENT

- 2 SINGLE MALES
- 2 STAINLESS STEEL HOUSINGS
- 4 RETENTIVE CAPS (2 SOFT, 2 STANDARD)



## SPARE PARTS OT EQUATOR

	<b>Ref. 140CEV</b>	• 4 RETENTIVE CAPS - VIOLET "STRONG" 2700g
	<b>Ref. 140CET</b>	• 4 RETENTIVE CAPS - CLEAR "STANDARD" 1800g
	<b>Ref. 140CER</b>	• 4 RETENTIVE CAPS - PINK "SOFT" 1200g
	<b>Ref. 140CEG</b>	• 4 RETENTIVE CAPS - YELLOW (EXTRA-SOFT 600g)
	<b>Ref. 140CEN</b>	• 4 PROCESSING CAPS - BLACK (FOR LABORATORY USE ONLY)
	<b>Ref. 140CEDR8</b>	• 4 RETENTIVE CAPS - AQUA CAPS <i>UNDERSIZED INTERNAL DIAMETER 2,2mm</i> (STRONG 1300g)
	<b>Ref. 140CEADR8</b>	• 4 RETENTIVE CAPS - ORANGE <i>UNDERSIZED INTERNAL DIAMETER 2,2mm</i> (VERY ELASTIC 350g)
	<b>Ref. 141CAE</b>	• 2 STAINLESS STEEL HOUSINGS
	<b>Ref. 141CTE</b>	• 2 TITANIUM HOUSINGS FUCHSIA ANODIZED
	<b>Ref. 330SBE</b>	• 1 SMART BOX HOUSING ( <i>WITH BLACK POSITIONING CAP</i> )
	<b>Ref. 335CSB</b>	• 4 BLACK SMARTBOX ( <i>POSITIONING CAPS</i> )
	<b>Ref. 039SFE2</b>	• 1 OT EQUATOR THREADED 2mm ( <i>DIRECT INTO 2mm THREAD</i> )
	<b>Ref. 339SFE</b>	• 1 EQUATOR THREADED 1.6mm (FOR TITANIUM SLEEVE)
	<b>Ref. 239GSF</b>	• 1 TITANIUM SLEEVE (1.6mm THREAD)
	<b>Ref. 339SSE</b>	• 1 OT EQUATOR SPACER
	<b>Ref. 159VEA</b>	• 1 OT EQUATOR SEEGER (FOR SELF-EXTRACTING PEEK RING OR TITANIUM HEALING RING)
	<b>Ref. 158VAE</b>	• 1 TITANIUM SCREW FOR SELF-EXTRACTING SEEGER
	<b>Ref. 158SAE</b>	• 1 SELF-EXTRACTING WHITE SEEGER (FOR BAR LOCKING)
	<b>Ref. 158CCE</b>	• 1 CASTABLE CYLINDER height 2,5mm (FOR SEEGER)
	<b>Ref. 158CCA</b>	• 1 HIGH CASTABLE CYLINDER height 3,5mm (FOR SEEGER)
	<b>Ref. 151SS</b>	• 2 CASTABLE MALES OT EQUATOR

## ACCESSORIES OT EQUATOR



Ref. 144TLE

• 1 OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW



Ref. 144TTE

• 1 OT EQUATOR TITANIUM TRANSFER + TITANIUM SCREW



Ref. 144MTE

• 2 IMPRESSION COPINGS (FOR INDIVIDUAL TRAY)



Ref. 044CAIN

• 2 IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR  
(WITH INTERCHANGEABLE CAP FOR PICK UP IMPRESSION)



Ref. 144AE

• 2 LABORATORY ANALOGS ø 4mm

Ref. AI502

• 2 LABORATORY ANALOGS ø 5mm



Ref. 144AVC4

• 1 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø4mm

Ref. 144AVC5

• 1 LABORATORY ANALOG WITH TITANIUM SCREW FOR CAD/CAM ø5mm



Ref. 161SCME

• 4 OT EQUATOR SPACERS FOR HOUSING

NEW

## OT EQUATOR TOOLS



Ref. 74AC01

• 1 PARALLELOMETER KEY "NORMAL SIZE"



Ref. 774CHE

• 1 OT EQUATOR SQUARE SCREW DRIVER + HOLDER  
(SQUARE 1.25MM) (USABLE WITH RATCHET TORQUE CONTROL DEVICE)



Ref. 774HC

• 1 OT EQUATOR INTERCHANGEABLE HOLDER



Ref. 760CE

• 1 SQUARE DRIVER CONNECTOR FOR TORQUE  
CONTROLLER CONTRA ANGLE (SQUARE 1.25mm)



Ref. 485IC

• 1 MULTIUSE CAPS INSERTER/EXTRACTOR TOOL



Ref. 185SIS

• 1 METAL INSERTION TOOL FOR SEEGER USE TOGETHER WITH 491EC



Ref. 491EC

• 1 MULTIUSE EXTRACTOR TOOL FOR CAPS  
(WITH HOLE STEM HOLDER)



Ref. 760CRD-US

• 1 RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK  
AND FLEX 15/35 Ncm STRENGHT - MAX 70 Ncm TORQUE.

## SINGLE THREADED SPHERES WITH THREADED SLEEVE TO BE BONDED NORMAL - MICRO



**Ref. 139KSFN**

### SET SINGLE THREADED SPHERE NORMAL SIZE + TiN WITH SLEEVE TO BE BONDED

#### SET CONTENT

- 2 TITANIUM NORMAL SINGLE THREADED SPHERE (HEX 1,3mm THREAD 1,6mm)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (NORMAL sphere)



**Ref. 139KSFM**

### SET SINGLE THREADED SPHERE MICRO SIZE + TiN WITH SLEEVE TO BE BONDED

#### SET CONTENT

- 2 TITANIUM MICRO SINGLE THREADED SPHERE (HEX 0,9mm THREAD 1,6mm)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (MICRO sphere)

## SPARE PARTS



**Ref. 239SFN**

- 1 SINGLE THREADED SPHERE NORMAL SIZE + TiN FOR THREADED SLEEVE HEX 1,3mm THREAD 1,6mm



**Ref. 239SFM**

- 1 SINGLE THREADED SPHERE MICRO SIZE + TiN FOR THREADED SLEEVE HEX 0,9mm THREAD 1,6mm



**Ref. 239GSF**

- 1 TITANIUM BOND-IN THREADED SLEEVE FOR NORMAL AND MICRO - 1,6mm



**Ref. 239SSN**

- 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (NORMAL sphere)



**Ref. 239SSM**

- 1 STAINLESS STEEL SPACER FOR THREADED SLEEVE (Micro sphere)



**Ref. 039SFN2**

- 1 SINGLE THREADED SPHERE NORMAL SIZE + TiN HEX 1,3mm THREAD 2mm



**Ref. 039SFM2**

- 1 SINGLE THREADED SPHERE MICRO SIZE + TiN HEX 0,9mm THREAD 2mm



**Ref. 760CBR**

- 1 HEX DRIVER FOR THREADED SPHERE NORMAL HEX 1,27mm



**Ref. 772CSF**

- 1 HEX DRIVER FOR THREADED SPHERE MICRO HEX 0,9mm

## OT CAP IMPRESSION COPINGS



**Ref. 044CAIN**

- 2 IMPRESSION COPINGS NORMAL SIZE Ø2,5mm WITH INTERCHANGEABLE CAP



**Ref. 044CAI22**

- 2 IMPRESSION COPINGS Ø2,25mm SPHERES WITH INTERCHANGEABLE CAP



**Ref. 044CAIM**

- 2 IMPRESSION COPINGS MICRO SIZE Ø1,8mm WITH INTERCHANGEABLE CAP

## IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE

SPHERO FLEX - SPHERO BLOCK

Ref. 109



### SPHERO FLEX TiN COATED

#### SET CONTENT

- 1 TITANIUM ABUTMENT WITH SWIVEL SPHERE (SPHERE Ø 2,5mm)
- 3 CAPS (Yellow - Pink - Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

Ref. 002



### SPHERO BLOCK NORMAL TiN COATED

#### SET CONTENT

- 1 TITANIUM ABUTMENT (SPHERE Ø 2,5 mm)
- 3 CAPS (Yellow - Pink - Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

Ref. 003




### SPHERO BLOCK MICRO TiN COATED

#### SET CONTENT

- 1 TITANIUM ABUTMENT (SPHERE Ø 1,8mm)
- 3 CAPS (Yellow - Pink - Clear)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

THE SPHERO FLEX, SPHERO BLOCK ATTACHMENTS ARE AVAILABLE FOR THE MAJOR IMPLANT BRANDS. UPON REQUEST WE CAN CUSTOMIZE THEM FOR ANY KIND OF IMPLANTS. WHEN ORDERING, PLEASE ALWAYS INDICATE: IMPLANT BRAND, IMPLANT DIAMETER AND CUFF HEIGHT. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 0,5 TO 7mm.



## CUFF HEIGHT MEASURER


THIS TOOL IS USED TO DETERMINE THE CUFF HEIGHT OF IMPLANTS WITH INTERNAL OR EXTERNAL HEXAGON

Ref. 008MBG



#### SET CONTENT

- 1 CUFF HEIGHT SLIDER GAUGE
- 1 CUFF HEIGHT FIXED ROD GAUGE
- 1 SILICON RING DISPENSER
- 20 SILICON RINGS



## TOOLS SPHERO FLEX - SPHERO BLOCK



**Ref. 771CEF**

- 1 KEY FOR SPHERO FLEX AND SPHERO BLOCK (NORMAL - Micro size) HEX 2,3mm




**Ref. 760CBM**

- 1 HEX SCREWDRIVER FOR TORQUE CONTROLLER CONTRA ANGLE HEX 1,3mm



**Ref. 760CRD-US**

- 1 RATCHET TORQUE CONTROL DEVICE (FOR OT EQUATOR, SPHERO BLOCK AND FLEX 15/35 Ncm STRENGTH - MAX 70 Ncm TORQUE.



**Ref. 4851C**

- 1 CAPS INSERTER/EXTRACTOR OT EQUATOR - NORMAL - MICRO



**Ref. 008MDS**

- 1 SPHERE MEASURING GAUGE  
(TO CHECK THE SPHERICAL ATTACHMENT DIAMETERS: 1,6-1,8-2,25-2,5mm)




**Ref. 044CAIN**

- 2 IMPRESSION COPINGS NORMAL SIZE  
Ø2,5mm WITH INTERCHANGEABLE CAP



**Ref. 044CAIM**

- 2 IMPRESSION COPINGS MICRO SIZE  
Ø1,8mm WITH INTERCHANGEABLE CAP



**Ref. 100AD**

- DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK
- 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14°



**Ref. 044ABN**

### SPHERO FLEX - BLOCK NORMAL ANALOG SET SET CONTENT

- 1 SPHERO BLOCK-FLEX NORMAL ANALOG
- 1 BLACK NORMAL CAP FOR LABORATORY USE
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)



**Ref. 044ABM**

### SPHERO BLOCK MICRO ANALOG SET SET CONTENT

- 1 SPHERO BLOCK-MICRO ANALOG
- 1 BLACK MICRO CAP FOR LABORATORY USE
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)

## ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

Extra charge for  
the dowel application



ELASTIC DOWEL



## ATTACHMENTS OT CAP & OT BOX - OT STRATEGY - OT BAR OT VERTICAL - OT TECNO - TITANIUM SINGLE SPHERE MASTER STARTER SET FOR LABORATORY



### SET CONTENT

#### OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
- 4 castable spheres (NORMAL and micro size)
- 2 titanium single spheres (NORMAL and micro size)  
+ sphere holder + 2 sliding base
- 4 castable OT CAP bars (NORMAL and micro size)
- 2 complete castable OT CAP TECNO bars (NORMAL and micro size)
- 4 castable OT BOX CLASSIC bars ( upper + lower part)  
NORMAL and micro size
- 2 castable OT BOX SPECIAL bars ( NORMAL and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (NORMAL and micro size)
- 4 plastic positioner rings (NORMAL and micro size)
- 16 OT CAP retentive caps (NORMAL and micro size)  
Clear- standard retention - PINK soft retention  
YELLOW extra soft retention - GREEN very elastic retention
- 4 TITAN CAP titanium caps (NORMAL and micro size)
- 4 BLACK CAPS- only for lab use - (NORMAL and micro size)
- 8 S/STEEL housings
- 4 ANALOGUES for plaster models (NORMAL and micro size)
- 4 protective disks
- 4 aluminium spacers (NORMAL and micro size )

#### OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 6 retentive caps: 2 clear - 2 pink - 2 yellow for housing
- 2 black caps for housing only for lab use
- 2 s/steel housings
- 2 plastic positioner rings
- 6 retentive caps for duplication technique:  
CLEAR - standard retention - PINK soft retention  
YELLOW extra soft retention
- 2 black caps for duplication technique only for lab use
- 2 ANALOGUES for plaster models

#### OT BAR MULTIUSE:

- 2 castable bar
- 1 gingival connector
- 2 positioner clip A
- 2 positioner clip B
- 4 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

Ref. 005SKLUS

#### OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

#### TOOLS:

- 1 Pincers • 2 Reamer tools for caps (NORMAL and micro size)
- 1 Reamer tools for OT STRATEGY caps
- 2 Parallelometer keys for OT CAP (NORMAL and micro size)
- 1 Parallelometer key for OT STRATEGY size
- 2 Parallelometer keys for OT CAP TECNO (NORMAL and micro size)
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool  
(for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool



## ATTACHMENTS OT CAP & OT BOX - OT STRATEGY- OT BAR OT VERTICAL - OT UNILATERAL - OT EQUATOR

BASIC LABORATORY SET



### SET CONTENT

#### OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (NORMAL and micro size)
- 8 castable spheres NORMAL/micro
- 2 castable OT CAP bars (NORMAL and micro size)
- 2 castable OT BOX CLASSIC bars ( upper + lower part) NORMAL and micro size
- 2 castable OT BOX SPECIAL bars ( NORMAL and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (NORMAL and micro size)
- 8 plastic positioner rings (NORMAL and micro size)
- 13 OT CAP assorted retentive caps (NORMAL and micro size)  
PINK soft retention - YELLOW extra soft retention
- 13 BLACK CAPS- only for lab use - (NORMAL and micro size)
- 4 S/STEEL housings (NORMAL and micro size)

#### OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 2 pink retentive caps
- 2 s/steel housings
- 2 plastic positioner rings
- 3 retentive caps for duplication technique:  
PINK soft retention - YELLOW extra soft retention
- 4 black caps for duplication technique only for lab use

#### OT EQUATOR:

- 2 single males
- 2 stainless steel housings
- 4 retentive caps (2 soft, 2 standard)
- 2 processing black caps

#### OT UNILATERAL:

- 1 unilateral castable attachment
- 1 uni-box castable
- 1 plastic positioner micro size
- 2 ot cap micro size: 1 pink - 1 black processing cap
- 2 ot strategy (for duplication technique): 1 yellow - 1 black processing cap
- 1 connector

#### OT BAR MULTIUSE:

- 1 castable bar
- 1 gingival connector
- 4 positioner clip (A - B)
- 2 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

Ref. 005SKLBUS

#### OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

#### TOOLS:

- 1 Tweezer
- 1 Parallelometer keys for OT CAP NORMAL
- 1 Parallelometer keys for OT CAP micro
- 1 Parallelometer key for OT STRATEGY
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool  
(for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

## OT CAP AND OT BOX ATTACHMENTS



NORMAL  
Ref. 092CAN

MICRO  
Ref. 092CAM

### OT CAP NORMAL/MICRO

#### SET CONTENT

- 4 CASTABLE SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- 4 PLASTIC POSITIONERS



NORMAL  
Ref. 196BCN

MICRO  
Ref. 197BCM

### OT CAP NORMAL/MICRO "ECONOMIC"

#### SET CONTENT

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 CLEAR RETENTIVE CAPS (Standard retention)



NORMAL  
Ref. 099BSN

MICRO  
Ref. 099BSM

### OT CAP & OT BOX MONO NORMAL/MICRO

#### SET CONTENT

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 CLEAR RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



NORMAL  
Ref. 058BSN

MICRO  
Ref. 058BSM

### OT BOX SPECIAL NORMAL/MICRO + CONNECTORS

#### SET CONTENT

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



NORMAL  
Ref. 153BCN

MICRO  
Ref. 153BCM

### OT BOX CLASSIC NORMAL/MICRO + CONNECTORS

#### SET CONTENT

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

## OT BOX LARGE OVERSIZED CASTABLE HOUSING FOR CHAIRSIDE POSITIONING OF CAPS



NORMAL  
Ref. 253BLN

MICRO  
Ref. 253BLM

### OT BOX LARGE NORMAL/MICRO + CONNECTORS

#### SET CONTENT

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

## OT STRATEGY ATTACHMENTS



Ref. 098SSS

### OT STRATEGY CAPS FOR DUPLICATION TECHNIQUE

#### SET CONTENT

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

### OT STRATEGY CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE

#### SET CONTENT

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 4 RETENTIVE CAPS FOR HOUSING TECHNIQUE (2 SOFT, 2 STANDARD)
- 4 STAINLESS STEEL HOUSINGS
- 2 PLASTIC POSITIONERS
- 2 CASTABLE STEADY

## OT BAR MULTIUSE ATTACHMENTS



Ref. 021OBM

### OT BAR MULTIUSE + CONNECTORS

#### SET CONTENT

- 2 CASTABLE BARS
- 4 POSITIONER CLIP A
- 4 POSITIONER CLIP B
- 4 CASTABLE BOXES
- 4 RETENTIVE PINK CLIPS
- 4 RETENTIVE YELLOW CLIPS
- 4 RETENTIVE RED CLIPS
- 2 CONNECTORS
- 1 GINGIVAL CONNECTOR

## OT VERTICAL ATTACHMENTS



Ref. 071OBV

### OT VERTICAL

#### SET CONTENT

- 4 CASTABLE MALES
- 2 CASTABLE STEADY
- 4 RETENTIVE WHITE CLIPS
- 2 RETENTIVE GREEN CLIPS
- 4 CASTABLE PARALLELOMETER KEYS + PIN

## OT UNILATERAL EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION

Ref. 098UNL



### OT UNILATERAL + CONNECTOR

#### SET CONTENT

- 1 UNILATERAL CASTABLE ATTACHMENT
- 1 UNI-BOX CASTABLE
- 1 PLASTIC POSITIONER MICRO SIZE
- 1 PINK CAP MICRO SIZE
- 1 STRATEGY YELLOW CAP (for duplication technique)
- 1 BLACK CAP MICRO SIZE (for laboratory use only)
- 1 STRATEGY BLACK CAP (for laboratory use only)
- 1 CONNECTOR



Ref. 156BCU

- 1 UNILATERAL CASTABLE ATTACHMENT



Ref. 156CCU

- 1 UNI-BOX CASTABLE

## OT CAP TECNO

NORMAL

Ref. 093CTN

MICRO

Ref. 093CTM



### OT CAP TECNO NORMAL/MICRO

#### SET CONTENT

- 2 PRE-ANGULATED CASTABLE EXTENSIONS
- 2 TITANIUM SINGLE THREADED SPHERES
- 2 TITANIUM BOND-IN THREADED SLEEVES
- 2 TRANSPARENT CAPS NORMAL/MICRO
- 2 PINK CAPS NORMAL/MICRO
- 2 YELLOW CAPS NORMAL/MICRO



Ref. 193BCA

- 2 PRE-ANGULATED CASTABLE EXTENSIONS

## OT LOCK LOCKING PIN TITANIUM AND CASTABLE



Ref. 880CLT

### OT LOCK SET TITANIUM

#### SET CONTENT

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN



Ref. 880CLR

### OT LOCK SET TITANIUM ADJUSTABLE

#### SET CONTENT

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN
- 9 CASTABLE SPACER RINGS

## OVERDENTURE ATTACHMENTS

### S.P.L. PIVOTS - COPING COVER PROMOTIONAL SET FOR CLINIC



Ref. 011SPL

#### SET CONTENT

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS
- 12 TITANIUM NORMAL PIVOTS
- 16 NORMAL CAPS (Clear - standard retention - PINK soft retention)
- 16 MICRO CAPS (Clear - standard retention - PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 NORMAL and 1 micro size)
- 1 BLUE PLASTIC "MULTIUSE" INSERTION TOOL (FOR THE INSERTION OF THE CAPS INSIDE THE METAL HOUSINGS)
- 1 OT CAP insertion tool
- 4 NORMAL STAINLESS STEEL HOUSING
- 4 MICRO STAINLESS STEEL HOUSING
- 12 DIRECTIONAL RINGS ( grey 0° - green 7° - red 14°)
- 1 TWEEZER



Lengths available:  
10 - 9 - 7mm

Ref. 333PEK7

Ref. 333PEK9

Ref. 333PEK10

#### OT EQUATOR TITANIUM TIN COATED PIVOTS SET

##### LOW PROFILE HEAD PIVOTS

##### SET CONTENT

- 2 TITANIUM OT EQUATOR PIVOTS h7,9 or 10mm (of the same length chosen)
- 2 OT EQUATOR ANODIZED TITANIUM HOUSINGS
- 2 YELLOW EXTRA SOFT CAPS
- 2 PINK SOFT CAPS
- 2 CLEAR STANDARD CAPS
- 2 TRANSPARENT PROTECTIVE DISKS



Lengths available:  
10 - 9 - 7mm

Ref. 336PTE7

Ref. 336PTE9

Ref. 336PTE10

#### OT EQUATOR TITANIUM TIN COATED PIVOTS

##### LOW PROFILE HEAD PIVOTS

##### SET CONTENT

- 1 TITANIUM OT EQUATOR PIVOT h7,9 or 10mm (of the length chosen)




Ref. 192ECE

## OT EQUATOR CAPS ASSORTMENT SET

### SET CONTENT

- 1 STAINLESS STEEL HOUSING
- 1 PROCESSING CAP
- 4 RETENTIVE CAPS (1 EXTRA-SOFT, 1 SOFT, 1 STANDARD, 1 STRONG)
- 1 PROTECTIVE DISK



Ref. 033PSF7R

Ref. 033PSF9R

Ref. 033PSF10R

## PIVOT FLEX TIN COATED

TITANIUM PIVOT WITH SWIVEL SPHERE - NORMAL size Adapted for COPING COVER

### SET CONTENT

- 1 TITANIUM PIVOT WITH SWIVEL SPHERE
- 1 STAINLESS STEEL HOUSING
- 2 PINK CAPS NORMAL Size - Soft retention
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

Disponibile nelle lunghezze: 10 - 9 - 7mm  
Sfera NORMO ø2,5  
Sfera MICRO ø1,8



Ref. 036PTN7

Ref. 036PTN9

Ref. 036PTN10

## TITANIUM PIVOTS SET NORMAL SIZE

### SET CONTENT

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

Ref. 036PTM7

Ref. 036PTM9

Ref. 036PTM10

## TITANIUM PIVOTS SET MICRO SIZE

### SET CONTENT

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

NORMAL

Ref. 192ACN

MICRO

Ref. 192ACM



## CAPS ASSORTMENT SET OT CAP NORMAL/MICRO

### SET CONTENT

- 1 STAINLESS STEEL HOUSING
- 1 PROCESSING CAP
- 4 RETENTIVE CAPS (1 GREEN, 1 YELLOW, 1 PINK, 1 CLEAR)
- 1 PROTECTIVE DISK



LUNGHEZZA STANDARD

Ref. 034PRK

## OT REVERSE 3 OVERDENTURE POSTS

FOR ROOTS, AVAILABLE IN ONE STANDARD SIZE

### SET CONTENT

- 2 ROOT POSTS IN TITANIUM + TIN
- 2 RETENTIVE MALE ATTACHMENT TITANIUM + NYLON
- 2 PLASTIC MANUAL TOOLS
- 2 STAINLESS STEEL HOUSINGS
- 2 PINK PROTECTIVE DISKS

Ø del perno sottosfera:  
2,2 2 1,8 1,7 1,4mm



Ref. 010PSP

## CASTABLE PIVOTS FOR CANAL IMPRESSIONS

### SET CONTENT

- 20 CASTABLE PIVOTS NORMAL SIZE

Lengths available:  
14 - 12 - 10 - 9 - 7mm



Ref. 012PSM

## CASTABLE PIVOTS FOR CANAL IMPRESSIONS

### SET CONTENT

- 20 CASTABLE PIVOTS MICRO SIZE

Lengths available:  
10 - 9 - 7mm



Ref. A01MOG

## MOOSER BUR FOR PIVOTS OF 7 - 9 - 10mm



Ref. A03MOB

## MOOSER BUR FOR PIVOTS OF 12 - 14mm



Ref. 121FD

## OT REVERSE 3 DIAMOND SHAPED BUR FOR ROOTS



Ref. 100AD

## DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK

- 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14°



Ref. 485IC

- 1 EXTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - NORMAL - MICRO

# REMOVABLE PROSTHESIS

## SPARE PARTS OT CAP SYSTEM NORMAL Ø 2,5 mm



**Ref. 055SCN** • 4 CASTABLE SINGLE SPHERES NORMAL SIZE

**Ref. 151BAN** • 2 CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE

**Ref. 150BPN** • 2 CASTABLE PRESECTIONED BARS NORMAL SIZE



**Ref. 048CAN** • 6 SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 350g



**Ref. 048CON** • 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 500g



**Ref. 049PCN** • 6 GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION) - 350g



**Ref. 060CRN AY** • 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) - 500g



**Ref. 040CRN SN** • 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) - 900g



**Ref. 040CRN** • 6 CLEAR CAPS NORMAL SIZE (STANDARD RETENTION) - 1300g



**Ref. 040TCN** • 2 TITAN CAPS NORMAL SIZE



**Ref. 043CLN** • 6 BLACK CAPS NORMAL SIZE (FOR LABORATORY USE ONLY)



**Ref. 049PCNDR8** • 6 ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø2.25 SPHERE) - 350g



**Ref. 060CRNAYDR8** • 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø2.25 SPHERE) - 500g



**Ref.040CRNSNDR8** • 6 PINK CAPS NORMAL SIZE (SOFT RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø2.25 SPHERE) - 900g



**Ref. 040CRNDR8** • 6 AQUA CAPS NORMAL SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø2.25 SPHERE) - 1300g



**Ref. 042AMN** • 2 MONO OT BOX NORMAL SIZE (CASTABLE HOUSINGS FOR CAPS)



**Ref. 041CAN** • 2 STAINLESS STEEL HOUSINGS NORMAL SIZE



**Ref. 041CTN** • 2 TITANIUM HOUSINGS NORMAL SIZE



**Ref. 101PPN** • 2 PLASTIC POSITIONERS NORMAL SIZE



**Ref. 044PPN** • 2 NORMAL SPHERE ANALOGS



## SPARE PARTS OT CAP SYSTEM MICRO Ø 1,8 mm

	<b>Ref. 055SCM</b>	• 4 CASTABLE SPHERES MICRO SIZE
	<b>Ref. 151BAM</b>	• 2 CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE
	<b>Ref. 150BPM</b>	• 2 CASTABLE PRESECTIONED BARS MICRO SIZE
	<b>Ref. 048CAM</b>	• 6 SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) (ELASTIC AND GUMMY) - 200g
	<b>Ref. 048COM</b>	• 6 GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) (SLIGHTLY ELASTIC) - 450g
	<b>Ref. 049PCM</b>	• 6 GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION) - 200g
	<b>Ref. 060CRM AY</b>	• 6 YELLOW CAPS MICRO SIZE (EXTRA SOFT RETENTION) - 450g
	<b>Ref. 040CRM SN</b>	• 6 PINK CAPS MICRO SIZE (SOFT RETENTION) - 800g
	<b>Ref. 040CRM</b>	• 6 CLEAR CAPS MICRO SIZE (STANDARD RETENTION) - 1100g
	<b>Ref. 040TCM</b>	• 2 TITAN CAPS MICRO SIZE
	<b>Ref. 043CLM</b>	• 6 BLACK CAPS MICRO SIZE (FOR LABORATORY USE ONLY)
	<b>Ref. 049PCMDR8</b>	• 6 ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6mm) - 200g
	<b>Ref. 040CRMDR8</b>	• 6 AQUA CAPS MICRO SIZE (STRONG RETENTION) (UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE OR FOR Ø1,6mm) - 1100g
	<b>Ref. 042AMM</b>	• 2 MONO OT BOX MICRO SIZE (CASTABLE HOUSINGS FOR CAPS)
	<b>Ref. 041CAM</b>	• 2 STAINLESS STEEL HOUSINGS MICRO SIZE
	<b>Ref. 041CTM</b>	• 2 TITANIUM HOUSINGS MICRO SIZE
	<b>Ref. 101PPM</b>	• 2 PLASTIC POSITIONERS MICRO SIZE
	<b>Ref. 044PPM</b>	• 2 MICRO SPHERE ANALOGS

## OT CAP ASSORTMENT SET



KIT NORMAL

Ref. 074KAN

KIT MICRO

Ref. 074KAM

### SET CONTENT

- 8 CLEAR CAPS - STANDARD RETENTION
- 8 PINK CAPS - SOFT RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 GOLD CAPS - ( EXTRA RESILIENT) SLIGHTLY ELASTIC
- 6 SILVER CAPS - ( EXTRA RESILIENT) ELASTIC AND GUMMY
- 4 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
- 4 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
- 4 BLACK CAPS - LABORATORY USE ONLY
- 2 TITAN CAPS



Ref. 074KNM

### ASSORTMENT SET NORMAL & MICRO

#### SET CONTAINS

- 4+4 CLEAR CAPS - STANDARD RETENTION
- 4+4 PINK CAPS - SOFT RETENTION
- 2+2 YELLOW CAPS - EXTRA SOFT RETENTION
- 3+3 GREEN CAPS - VERY ELASTIC RETENTION
- 3+3 GOLD CAPS - ( EXTRA RESILIENT) SLIGHTLY ELASTIC
- 3+3 SILVER CAPS - ( EXTRA RESILIENT) ELASTIC AND GUMMY
- 2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
- 2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
- 2+2 BLACK CAPS - LABORATORY USE ONLY
- 1+1 TITAN CAPS

## OT CAP ASSORTED RETENTIVE CAPS



NORMAL

Ref. 064ACN

MICRO

Ref. 064ACM

### SET CONTENT

- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 PINK CAPS - SOFT RETENTION
- 6 CLEAR CAPS - STANDARD RETENTION

## OT CAP SYSTEM ATTACHMENTS



NORMAL

Ref. 038STN

### TITANIUM SINGLE SPHERE NORMAL SIZE + TiN

FOR LASER SOLDERING - FOR BONDING

#### SET CONTENT

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



MICRO

Ref. 038STM











### TITANIUM SINGLE SPHERE MICRO SIZE + TiN

FOR LASER SOLDERING - FOR BONDING

#### SET CONTENT

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES

## OT CAP NORMAL-MICRO TOOLS

	<b>Ref. 485IC</b>	• 1 EXTRACTOR/INSERTER TOOL FOR CAPS OT EQUATOR - OT CAP NORMAL/MICRO
	<b>Ref. 74AC01</b>	• 1 PARALLELOMETER MANDREL NORMAL/OT EQUATOR
	<b>Ref. 74AC02</b>	• 1 PARALLELOMETER MANDREL MICRO
	<b>Ref. 74AC03</b>	• 1 PARALLELOMETER MANDREL TECNO NORMAL AND MICRO SIZE <i>(ONLY FOR OT CAP TECNO)</i>
	<b>Ref. 491EC</b>	• 1 MULTIUSE REMOVAL TOOL FOR RETENTIVE CAPS
	<b>Ref. 008MDS</b>	• 1 SPHERE MEASURING GAUGE <i>(TO CHECK THE SPHERICAL ATTACHMENT DIAMETERS: 1,6-1,8-2,25-2,5mm)</i>
	<b>Ref. 080RCN</b>	• 1 REAMER TOOL FOR OT CAPS - NORMAL SIZE
	<b>Ref. 080RCM</b>	• 1 REAMER TOOL FOR OT CAPS - MICRO SIZE
	<b>Ref. 082ATN</b>	• 1 TOOL FOR TESTING CAP RETENTION - NORMAL SIZE
	<b>Ref. 083ATM</b>	• 1 TOOL FOR TESTING CAP RETENTION - MICRO SIZE

## NORMAL - MICRO ACCESSORIES AND Ø2.2mm

	<b>Ref. 155CC</b>	• 6 CONNECTORS
	<b>Ref. 187CRS</b>	• 2 CONCAVE SPHERES AVAILABLE: Ø1.8 - 2.2 - 2.5mm
	<b>Ref. 187CRE</b>	• 2 CONCAVE OT EQUATOR
	<b>Ref. 189SRS</b>	• 2 SOLID SPHERES AVAILABLE: Ø1.8mm
	<b>Ref. 100PD</b>	• 10 PROTECTIVE DISKS (internal diameter 1,6mm)
	<b>Ref. 100PDR</b>	• 10 PINK PROTECTIVE DISKS (internal diameter 2,9mm)
	<b>Ref. 161SCMN</b> <small>NORMAL</small>	• 4 OT CAP NORMAL/MICRO SPACERS FOR HOUSING
	<b>Ref. 161SCMM</b> <small>MICRO</small>	
	<b>Ref. 038GCS</b>	• 2 CASTABLE SLIDING BASES
	<b>Ref. 044PP22</b>	• 2 MICRO ANALOGS Ø2.2mm

## OT STRATEGY SPARE PARTS



**Ref. 154PCS**

• 4 OT STRATEGY STANDARD MALES



**Ref. 054PLS**

• 4 OT STRATEGY HIGH MALES



**Ref. 154STY**

• 2 CASTABLE STEADY



**Ref. 047CSD AY**

• 4 STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE  
(EXTRA SOFT RETENTION) - 500g



**Ref. 047CSD SN**

• 4 STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE  
(SOFT RETENTION) - 900g



**Ref. 047CSD**

• 4 STRATEGY CLEAR CAPS FOR DUPLICATION TECHNIQUE  
(STANDARD RETENTION) - 1300g



**Ref. 047CLS**

• 4 STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE  
(FOR LABORATORY USE ONLY)



**Ref. 047CSDDR8**

• 4 AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE  
(UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)



**Ref. 045CSM AY**

• 4 STRATEGY YELLOW CAPS FOR S/STEEL HOUSING  
(EXTRA SOFT RETENTION) - 500g  
(TO BE USED ONLY WITH HOUSINGS)



**Ref. 045CSM SN**

• 4 STRATEGY PINK CAPS FOR S/STEEL HOUSING  
(SOFT RETENTION) - 900g  
(TO BE USED ONLY WITH HOUSINGS)



**Ref. 045CSM**

• 4 STRATEGY CLEAR CAPS FOR S/STEEL HOUSING  
(STANDARD RETENTION) - 1300g  
(TO BE USED ONLY WITH HOUSINGS)



**Ref. 045CLS**

• 4 STRATEGY BLACK CAPS FOR S/STEEL HOUSING  
(FOR LABORATORY USE ONLY)



**Ref. 045CSMDR8**

• 4 AQUA STRATEGY CAPS FOR S/STEEL HOUSING  
(UNDERSIZED INTERNAL DIAMETER FOR WORN SPHERE OR 1.7mm SPHERE)



**Ref. 046CSM**

• 2 STRATEGY STAINLESS STEEL HOUSINGS



**Ref. 101OTS**

• 2 STRATEGY PLASTIC POSITIONERS  
(FOR SOLDERING STAINLESS STEEL HOUSINGS)

## OT STRATEGY ASSORTMENT CAP SET FOR DUPLICATION TECHNIQUE

### SET CONTENT

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 CLEAR CAPS - STANDARD RETENTION

**Ref. 047ACS**

## OT STRATEGY ASSORTMENT CAP SET FOR S/STEEL HOUSINGS

### SET CONTENT

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 CLEAR CAPS - STANDARD RETENTION

**Ref. 045ACS**

**Ref. 044PPS**

- 2 STRATEGY ANALOGS

**Ref. 486ICS**

- 1 INSERTER/EXTRACTOR TOOL FOR STRATEGY CAPS

**Ref. 75AC04**

- 1 PARALLELOMETER MANDREL FOR STRATEGY CAPS

**Ref. 081RCS**

- 1 REAMER TOOL FOR STRATEGY CAPS



## OT BAR MULTIUSE SPARE PARTS

**Ref. 022OBB**

- 2 CASTABLE BARS OT BAR MULTIUSE

**Ref. 025CPB**

- 4 CASTABLE BOXES OT BAR MULTIUSE

**Ref. 023CPA**

- 4 POSITIONER CLIPS A

**Ref. 024CPB**

- 4 POSITIONER CLIPS B

**Ref. 027CRG**

- 4 YELLOW CLIPS (MEDIUM RETENTION 1,8Kg)

**Ref. 026CRR**

- 4 PINK CLIPS (SOFT RETENTION 1,2Kg)

**Ref. 027CRS**

- 4 RED CLIPS (EXTRA SOFT RETENTION 0,6Kg)

**Ref. 022RGO**


- 3 CASTABLE CONNECTORS

**Ref. 429IOBM**

- 1 INSERTER/EXTRACTOR TOOL FOR OT BAR MULTIUSE CLIPS

**Ref. 028OCP**

- 1 PARALLELOMETER KEY FOR OT BAR MULTIUSE



## OT VERTICAL SPARE PARTS



**Ref. 072MCV**

- 2 CASTABLE MALES
- 2 PIN KEYS



**Ref. 072SCV**

- 2 CASTABLE STEADY




**Ref. 072CBV**

- 4 WHITE CLIPS (STANDARD RETENTION)



**Ref. 072CVV**

- 4 GREEN CLIPS (SOFT RETENTION)



**Ref. 472ICV**

- 1 INSERTION TOOL FOR OT VERTICAL CLIPS

## OT REVERSE 3 SPARE PARTS



**Ref. 120MR2**

- 2 RETENTIVE MALES IN TITANIUM + NYLON (COLOR CLEAR/ STANDARD RETENTION)



**Ref. 041CAM**

- 2 S/STEEL HOUSINGS MICRO SIZE



**Ref. 121AAR**

- 2 INOX ROOTS ANALOGS



**Ref. 121AM**

- 2 PLASTIC MANUAL TOOLS



**Ref. 121PR**

- 2 PLASTIC POSITIONERS FOR DUPLICATION



**Ref. 100PDR**

- 10 PINK PROTECTIVE DISKS



**Ref. 124IMR**

- 1 METAL INSERTING TOOL FOR OT REVERSE/3 MALE



**Ref. 72CBR**

- 1 S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR



**Ref. 72CFR**

- 1 BRASS PARALLELOMETER KEY FOR TITANIUM FEMALE



## OT LOCK SPARE PARTS



**Ref. 882CS**

- 1 SLIDING KEY  
(ONLY FOR TITANIUM - CASTABLE LOCKING PIN)



**Ref. 882AF**

- 1 FLEXIBLE RING



**Ref. 882CB**

- 1 LOCKING KEY



**Ref. 882CPT**

- 1 TITANIUM PREFABRICATED HOUSING  
(ONLY FOR TITANIUM - TITANIUM ADJUSTABLE LOCKING PIN)



**Ref. 882PPC**

- 1 CERAMIC PIN



**Ref. 882CLSCT**

- 1 ADJUSTABLE SLIDING KEY  
(ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)



**Ref. 882DCC**

- 9 CASTABLE SPACER RINGS  
(ONLY FOR TITANIUM ADJUSTABLE LOCKING PIN)

## OT LOCK ACCESSORIES



**Ref. 882CG**

- 1 CONICAL GUIDE



**Ref. 882CAS**

- 1 UNLOCKING TOOL

## SPHERE REPAIR SETS



Ø AVAILABLE:  
1,8 - 2,25 - 2,5

**Ref. 087CRS**

### CONCAVE REPAIR SPHERE

#### SET CONTENT

- 2 CONCAVE SPHERES IN TITANIUM - TIN COATED
- 2 PINK CAPS SOFT RETENTION
- 1 INSERTING TOOL
- 1 GAUGE AND STRIP HOLDER



**Ref. 087CRE**

### CONCAVE REPAIR OT EQUATOR

#### SET CONTENT

- 2 CONCAVE OT EQUATOR IN TITANIUM - TIN COATED
- 2 PINK CAPS SOFT RETENTION
- 1 INSERTING TOOL
- 1 GAUGE AND STRIP HOLDER



**Ref. 089SRS**

### SOLID REPAIR SPHERE

#### SET CONTENT

- 2 SOLID SPHERES 1.8mm IN TITANIUM - TIN COATED
- 2 PINK CAPS SOFT RETENTION
- 2 PROTECTIVE DISKS
- 1 KEY

## DENTURE BOXES



Ref. 0P6

### SET CONTENT


- 6 ASSORTED BOXES, COLOURS: BLUE - LIGHT BLUE - WHITE



Ref. 100AS

- 30 SILICONE RINGS

## SMALL PARALLELOMETER



Ref. 00PB

- 1 **SMALL PARALLELOMETER DEVICE**  
WITH MODEL HOLDER BASE  
(FOR COURSES, ETC.)

## OT LEVER

UNIVERSAL LEVER



Ref. 761OTL

- 2 **OT LEVER**  
FOR REMOVAL OF PROSTHESES AND ALIGNERS



Ref. BOL

### OT LEVER BOX

#### SET CONTENT

- 6 OT LEVER PACKAGES
- 1 OT LEVER PACKAGING DISPLAY STAND



## OT CEM

COMPOSITE CEMENT



Ref. OC

### SET CONTENT

- 1 TWO-COMPONENT SYRINGE 5ml
- 10 AUTOMIX TIPS



Ref. TOC

- 10 AUTOMIX TIPS

## BROKEN SCREW EXTRACTOR KIT


BROKEN SCREW EXTRACTOR SETS ARE MANUFACTURED FOR MOST IMPLANT BRANDS



Ref. 680

### SET CONTENT

- 1 CLAW REAMER BUR
- 1 REVERSE CUTTING BUR
- 1 MANUAL EXTRACTOR
- 1 CENTERING DEVICE



Ref. 680FS

- 1 REVERSE CUTTING BUR

Ref. 680FA\*

- 1 CLAW REAMER BUR

\*Specify type of implant and diameter

**THE BROKEN SCREW EXTRACTOR SET MAY HAVE SPACE PROBLEMS IN THE REAR SECTION, WHICH COULD AFFECT ITS PERFORMANCE. IT'S IMPORTANT TO ANALYZE THE SITUATION BEFORE USING THE SET.**

**Scientific training**



*Different approaches to dentistry are proposed, from traditional techniques to the most advanced digital solutions.*

**Live courses**




*The surgical-prosthetic process in all its phases, an excellent tool to facilitate learning new protocols.*

**RHEIN83**



1983-2023

**Research and Development**



*Innovation and research is developed with the collaboration of numerous universities, both Italian and foreign.*


**Academy Rhein83**



*Conferences, events and practical courses, welcoming professionals from all over the world for training in fixed and removable prosthetics.*



**View Rhein83 calendar courses**



**Consult the Rhein83's scientific literature**



**Watch Rhein83's clinic videos**





# DIRECT SERVICES

A telephone service is available during office hours,  
it furnishes direct answers for technical questions.  
You can address to Rhein83 for knowing the address of foreign distributors

**Tel. +39 051 244510 - +39 051 244396 - Fax +39 051 245238**

Rhein83 website  
**[www.rhein83.com](http://www.rhein83.com)**

General informations  
**[info@rhein83.com](mailto:info@rhein83.com)**

Sales department  
**[international.orders@rhein83.it](mailto:international.orders@rhein83.it)**

Technical support  
**[support@rhein83.com](mailto:support@rhein83.com)**

Marketing department  
**[direzione@rhein83.it](mailto:direzione@rhein83.it)**



# RHEIN83

Via ZAGO, 10/ABC  
40128 - BOLOGNA (ITALY)

Tel. (+39) 051 244510 - (+39) 051 244396  
Fax (+39) 051 245238

MOD. D395SP REV.01 del 12/09/2023

